

BOERhier VEILINGS

'n Boer is gekies deur God

GRATIS

Uitgawe 47

5 Februarie 2025

www.boerhier.co.za

BOERhier in
vennootskap met



**Flush feeding:
An effective feeding
practice in sheep farming**

Inhoud

- 4 Flush feeding: An effective feeding practice in sheep farming
- 7 Lasarus Livestock Auction – 8 February
- 8 Lasarus Game Farm Auction – 8 February
- 10 Bly kalm en gebruik Eco-Vet: Natuurlike streshantering vir al jou diere!
- 14 Preiss & Kock Produksieveiling – 11 Februarie
- 15 De Bruin B onsmaras & Kalkveld – 12 Februarie
- 15 Tigane Bonsmaras Aanteelveiling – 13 February
- 16 Update on Foot-and-Mouth in the Eastern Cape
- 22 Nuwe inisiatief bring hoop vir Wes-Kaapse landbougemeenskappe
- 26 Maluti Dormers 9de Produksieveiling – 22 Februarie
- 27 Goats of gold: Australia's feral goat problem has become a \$235m export trade
- 31 Charmac Merinos – 26 Februarie
- 31 Lucasdam Dorpers Produksieveiling – 27 Februarie
- 33 Bogemiddelde reën vir noordooste van SA verwag
- 36 Genetic Alliance Dorper Auction – 29 March
- 37 Scientists study if goats and dogs can predict earthquakes and volcanic eruptions
- 40 Persieskaap Telergenootskap Nasionale Skou – 3 April
- 41 Lewendehawe verander met tye
- 44 Klein karro Veiling & Veebemarking – 4 April
- 46 7 poultry rules for your farm
- 48 Interesting fact: Amazing Chicken Facts
- 52 Babesioses in beeste – Die Twee Rooiwaters
- 58 Interesting fact: Feeding Hay
- 60 Interesting fact: Goad Meat Cuts
- 64 Auction results
- 67 Wat sê die Markte

Artikels saamgestel deur BOERhier en Zanmari Crous, AffiePlaas Fotografie en Christine Vosloo Photography, in samewerking met die adverteerders.

Ontwerpe en samestelling gedoen deur BOERhier.

Bemarking en kliëntediens word behartig deur BOERhier span.

Kopiereg van BOERhier word streng voorbehou.

Vir verdere navraag, kontak: [073 895 6392](tel:0738956392) of e-pos info@boerhier.co.za

Besoek ons webtuiste www.boerhier.co.za en www.farmhere.co.za

Inligting verskaf vir advertensie en artikels in BOERhier is ontvang vanaf adverteerders.

BOERhier word gevrywaar van enige verliese of beserings wat kan plaasvind. Lesers word aanbeveel om navorsing te doen voordat 'n transaksie beklank word en 'n produk gebruik word.



Kliek op die pyltjie vir die inhoud bladsy



Kliek op die ikoon om die video te kyk

Voorblad foto: AffiePlaas Fotografie

Foto: Christine Vosloo Fotografie

Smyt dit uit

Daar is baie seer in die wêreld. Gedurig val mense vas in een of ander storm en dan het hulle bemoediging nodig. Hulle wil 'n hand op die skouer hê of 'n flitsie in die donker.

Wanneer ons preke preek waar ons God se beloftes uitlig, staan die mense tou om die flitsie in hulle storms te laat skyn. Mense deel die preke met mekaar en die kykersgetalle skiet deur die dak.

Ander preke kry nie soveel airtime nie. Wanneer die tema oor sonde gaan, kyk mense weg en stuur dit nie aan nie. Ek kan dit ook aan die kykersgetalle sien.

Dis seker maar menslik dat ons nie op die vingers getik wil word nie. Ek vermoed ons is skaam oor die dinge wat ons verkeerd doen. Daarom wil ons nie hê dat die flitsies uitgehaal moet word nie.

Tog kan ons nie hieroor stilbly nie. Ons kan nie toelaat dat die kykersgetalle bepaal wat die boodskap van die dag moet wees nie. Ons moet eerder luister wat God se Woord sê en waar dit die ligte wil aan- of afskakel.

Die boodskap is eenvoudig en reguit: **'My liewe kinders, daar is 'n goeie rede waarom ek hierdie dinge aan julle skryf. Julle moet nooit iets doen waarvan God nie hou nie.**

Die 1983-vertaling sê dit eenvoudig en reguit: **Moenie sondig nie!**

Snaaks genoeg, ons weet dadelik wanneer ons buite die wil van God lewe. Wanneer ons dinge doen wat verkeerd is, gaan daar rooi ligte om ons af en ons weet dis nie reg nie. Ek vermoed dis ons gewete wat dan hand opsteek.

Ons moet gehoor gee hieraan, want behalwe dat ons verkeerde dade God se hart seermaak, kan sonde ons lewens verwoes. Soms verwoes dit selfs ander mense se lewens en skakel ons dade die ligte in ander se wêreld af.

Ek deel 'n storie waar ek 'n paar vrae vra: Ek wonder hoekom spring mense oor die grense van die huwelik? Het dit te saai geword en die opwinding net te lekker aan die anderkant van die draad?

Andy (skuilnaam) skryf terug:

Ek was een van daardie mense wat oor die draad was. As ek net geweet het wat ek vandag weet, het dit nie eers deur my gedagte gegaan nie.

Ek is nou vier jaar geskei en as ek dit kon verander, sou ek. Ek hoop en glo die Here sal my vergewe vir dit wat ek gedoen het. Dit het my uitmekaar geskeur en dit voel of dit nie regkom nie. Ek is so spyt daarvoor...

Hoe kom 'n mens weer op die been? Ek het nooit weer na 'n ander vrou gekyk nie. Maar die alleen is verskriklik erg en ek sukkel om met die Here te praat. Dit is baie erg om nie met die Here te kan praat nie. Ek kan niks vir Hom sê nie...

Laat ons gehoor gee aan die opdrag en al ons dade van die donker uitsmyt. Laat ons binne die wil van God lewe. Dit sal Sy hart verbly en ons beskerm teen ons eie verwoesting.

Teks

1 Johannes 2:1-2

Om oor na te dink

- Waar is die ligte af in jou lewe?
- Hoe kan jy die verkeerde dade stop?
- Dalk iemand vertel om te help?

Gebed

Vader, ek wil nie sondig nie. Ek wil alles in die lig doen. In U lig doen. Amen.

Bron: <https://kruispad.com/smyt-dit-uit/>

Flush feeding: An effective feeding practice in sheep farming



Two aspects that can have a major impact on the effectivity and profit of sheep farming, are an increase in conception rate and fecundity of the breeding flock. Flush feeding of sheep is a feeding practice that can be used, under certain circumstances, to increase the lambing percentage and profitability of a sheep farm.

It is well known that animal condition plays a vital role at the start of the breeding season. Nutrition (especially flush feeding) during this phase has an important objective – to ensure that the greatest number of ewes reach oestrus, that ovulation rate (ovum secretion) is maximised, and that most ova are fertilised, implanted and developed into viable foetuses to maximise lambing percentage.

Adjustment in nutrition

Flush feeding is the term used to describe an adjustment in the level of nutrition of ewes (and rams) before the start of the breeding season, with the aim of increasing the condition score and weight of the animals.

Ewes normally get little to no supplements for a period prior to breeding which may cause weight loss. Normally, before breeding, ewes move to better quality grazing and given an additional flush lick three weeks prior to mating to quickly regain their weight lost. However, research showed that ovulation and conception rates decrease when ewes lose excessive weight shortly before the flush feeding phase and should be avoided at all costs.

Research indicated that the level of nutrition three weeks prior to breeding only has a significant impact if the ewes are not in optimal condition. The goal should be to get ewes into ideal condition (condition score or CS of 3,5) during breeding to ensure an optimal ovulation rate, and thus a high lambing percentage. In addition, if ewes gain weight during breeding period, they are more likely to produce twins than those that maintain or lose weight.

Higher lambing percentage

An increase in ovulation rate is already noticeable when ewes start on flush feeding four days prior to breeding. However, best results are observed in ewes that start with flush feeding at least 21 days prior to ovulation, which is then continued for the duration of the mating period. A good rule of thumb is for lambing percentage to increase by 1,5% for each kilogram of additional weight gain during the breeding period when condition scores are on the lower end.

Ewes in good condition during breeding require less supplementation during mid and late gestation, and especially during lactation, as the ewe can use her body fat reserves as energy. It is

therefore of paramount importance that profitable sheep farming enterprises keep their breeding ewes in the desirable body condition (CS 3,5) during breeding.

Sperm production in rams

Do not forget the contribution rams make towards ensuring a high lambing percentage. Flush feeding can help maximise testes size/volume as well as sperm production. Good nutrition for a period of at least two months prior to the start of the breeding season can double sperm production. Be careful of feeding excessive amounts of grain to rams (over conditioning), as it can adversely affect fertility (sperm quality) due to excessive fat deposits in the scrotum, which also limits heat exchange.

Breeding rams should receive well balanced protein/energy rations, especially with a higher level of bypass protein, to maximise testes growth and sperm production, as roughly 50% of the dry sperm material consists of protein.

For optimum results, make sure ewes and rams are in ideal condition before start of the breeding season. Flush feeding is a helpful feeding practice for sheep that to ensure optimal CS and weight gain before and during the breeding period, thereby maximising lambing percentage on farm.



*by JW Van Niekerk, Independent
Reviewed and updated by Johan Loubser,
Ruminant Specialist*

Source: <https://www.afgrianimalfeeds.co.za/2025/01/07/flush-feeding-an-effective-feeding-practice-in-sheep-farming/>

BLUED LAMBON

Cutting edge **PLANTERS** for **small farms & plots**

www.eden-equip-online.co.za

info@eden-equip.co.za

(+27) 63 775 8684



- Cover crops
- Pastures
- Vegetables
- Maize



- Regenerative agriculture
- No-till
- High-density grazing
- Manufactured in SA





ALGAR IND BK

Livestock Handling Equipment
Veehanteringstoerusting



algar@algar.co.za
www.algar.co.za
082 324 6256

SAAM BOER BOERS BOERS



11th Production Auction
8 FEBRUARY 2025
 Albertinia
 WESTERN CAPE

LASARUS LIVESTOCK



"Animals from Limpopo and Western Cape on Auction."



'BRIDGERTON' DXE21005
on auction



'BONA' genetics on auction



'ESPERADO' on auction
- 2022 SA record ram -



'STILLKNOCKS' on auction
- Superior self bred ram -

Indigenous
Veld Goats

- CAPE LOB EARS - 50 Stud Animals
- KUNENES - 2 Starter Packs
- CAPE SPECKLED - 10

Ankole
Cattle

- 5 Stud Animals
- Semen straws from 'BONA' and 'VIKING'

Free Range
African Chickens

30 Chickens



All funds from the Chickens will be
contributed to Rhino Conservation



Stud ram on auction



'SPIKKELS' genetics on auction

Meatmasters

30 Stud Animals

Nguni Cattle also on Auction

Nico Lerm: +27 (0)82 448 3975 | Hertie Lerm: +27 (0)82 768 3608
 info@lasarusgamefarm.co.za | www.lasarusgamefarm.co.za



+27 76 101 9996
 cdpauctions.co.za

CdP AUCTIONEERING
SERVICES

11th Production Auction
8 FEBRUARY 2025
 Albertinia
 WESTERN CAPE

LASARUS GAME FARM



"Animals from Limpopo and Western Cape on Auction."



18" Heartwater Springbuck ram on auction



Royal "DAKOTA" and 3 x 28"+ Royal Wildebeest genetics on auction



'WITKRANS JR' genetics on auction



50" Buffalo bull on auction and cows between 30" and 37" genetics of 52" bulls

Game on Offer

- Buffalo
- Nyalas
- Bushbuck
- Waterbuck
- Kudu
- Rhino
- Eland
- Oryx
- Wildebeest (all colour variants)
- Impala (all colour variants)
- Springbuck (all colour variants)
- Ostrich
- Giraffe
- Lechwe
- Blesbuck
- Zebra
- Sable
- Blue Duiker
- Fellow Deer
- Black Wildebeest
- Red Hartebeest



18 5/8" 'SILKAATS' Bushbuck ram



'KILIMAJARO' Kings Wildebeest genetics on auction



23 1/8" 'CASANOVA' genetics on auction

Nico Lerm: +27 (0)82 448 3975 | Hertie Lerm: +27 (0)82 768 3608
 info@lasarusgamefarm.co.za | www.lasarusgamefarm.co.za



+27 76 101 9996
 cdpauctions.co.za



CdP AUCTIONEERING SERVICES

SALES REPRESENTATIVE REQUIRED

Must have sales experience in agricultural industry

Requirements:

- Gather leads
- Self-motivated and meet or exceed goals
- Ability to track customer's problems
- Setting sales target
- Plan to reach the goal
- Research and identify the buyer persona
- Discuss, negotiate and lock to a sales agreement
- Sales driving pitch
- Research prospective clients
- Prepare the monthly/yearly report
- Be friendly and do follow ups

Must have a minimum of 10 years experience in corporate sales.
Basic provided for the first 3 months.

Terms and conditions apply.

Contact: info@boerhier.co.za

**BOERhier / FARMhere gives God all the glory and honour
for our continued success.**

Bly kalm en gebruik Eco-Vet: Natuurlike stres hantering vir al jou diere!



Hoe Eco-Fear jou diere kan help om kalmer, gesonder en veiliger te bly tydens stresvolle situasies – van vervoer tot donderstorms.

Stres is 'n onontkombare deel van 'n dier se lewe, veral op plase waar verskillende aktiwiteite soos vervoer, slag, en daaglikse take hulle kan beïnvloed. Maar stres het nie net 'n emosionele impak nie – dit kan ook ernstige gesondheidsprobleme veroorsaak, soos 'n verlaagde immuunstelsel en selfs swak kwaliteit vleis. Hier kom **Eco-Fear** tot die redding, met 'n natuurlike, veilige en effektiewe manier om jou diere kalmer te hou en hulle algehele welstand te verbeter.

Kalmer Vervoer, Gesonder Diere

Vervoer is een van die mees stresvolle tye vir diere. Hulle raak angstig, wat lei tot onrustige gedrag wat nie net gevaarlik vir hulle is nie, maar ook die risiko van beserings verhoog. **Eco-Fear** help diere om kalm te bly, wat 'n veiliger reis verseker en keer dat hul immuunstelsel 'n groot knou kry – 'n algemene probleem met stresvolle vervoer.

Verbeterde Vleiskwaliteit Tydens Slag:

Wanneer diere stres ervaar net voor slag, skei hul liggame stresverwante hormone af, wat die kwaliteit van die vleis negatief beïnvloed. Deur **Eco-Fear** te gebruik voor slag, kan jy help om jou

vee kalmer te hou, wat nie net beter vleiskwaliteit verseker nie, maar ook 'n meer etiese en respekvolle hantering van diere bevorder.

Nie net vir vee nie, maar vir al jou diere:

Donderstorms, skeidingsangs, en bokspanning in perde is algemene uitdagings wat diere kan raak, van perde tot katte en honde. **Eco-Fear** is veelsydig en werk uitstekend vir:

- Perde wat moeilik boks, of stres ervaar tydens kompetisies.
- Honde en katte wat vrees vir donderstorms of skeidingsangs het.
- Skaap, beeste, en ander vee wat onrustig raak tydens slag of vervoer.





Hierdie effektiewe, natuurlike produk is maklik om toe te dien, is volledig met die departement van labou geregistreerd, het 'n 4-jaar rak lewe en het geen nuwe-effekte nie! Dis veilig vir alle diere en perfek vir gereelde of nood gebruik.

Jou diere verdien die beste sorg, en met **Eco-Fear** kan jy hulle help om stresvolle situasies beter te hanteer.

Besoek ons webwerf by www.ecovet.co.za om meer oor ons produkte te leer of om 'n bestelling te plaas. Het jy vrae? Kontak ons gerus – ons help jou graag om jou diere se gesondheid en geluk eerste te stel!

Met **Eco-Fear** is kalmte net 'n dosering weg. Maak hierdie jaar een van minder stres en meer gesondheid vir jou plaasdiere.

Vir meer inligting kontak Eco-Vet gerus om die volgende details:

Hoofkantoor: [012-460-4808](tel:012-460-4808) Kantoor
WhatsApp: [083-810-6439](tel:083-810-6439)

Vir vrae oor Eco-Vet vir jou vee, kontak Willem:
[082-492-6736](tel:082-492-6736)

media@ecovet.co.za | @EcoVetSA |
FB: Eco-Vet Agri SA |
25 16th Street, Menlo Park, Pretoria, 0081

A collage of images related to farming and photography. The central image is a close-up of a brown goat's face. To the left, there's a windmill against a sunset sky. Below the windmill, a person is using a red machine, possibly a shearer. In the bottom left, a small white lamb is sitting in grass. To the right of the goat, there's a small goat looking through a chain-link fence. In the bottom right, there's a green tractor. The text 'Christine Vosloo Fotografie' is written in a white, cursive font across the top of the collage. At the bottom, the contact information is displayed: '060 967 2041', 'Wes Kaap', and 'cvosloo4@gmail.com'.

Christine Vosloo Fotografie

060 967 2041

Wes Kaap

cvosloo4@gmail.com

RUSTIGER DIERE, VIR BETER RESULTATE



**ECO-FEAR
VIR JOU
DIERE**



VERVOER, DONDERSTORMS, SLAG – BLY VOORBEREID MET ECO-FEAR

Stressvolle situasies kan jou diere se gesondheid en veiligheid beïnvloed. Eco-Fear is jou effektiewe oplossing om angs en stres te verminder, of dit nou honde, perde, of vee is. Sonder enige newe-effekte en veilig vir alle diere.

Kry gemoedsrus en verbeter hul welstand. Besoek www.ecovet.co.za vandag om meer te leer!



voete vol vertroue



Step Forward se regstellende binnesole bied beter balans en belyning asook verligting van voet- en postuurprobleme insluitend plantar fasciitis, hakpyn, eelte, platvoete, hamertone, hoë brûe, kniepyn en laerugpyn!



Tel : 082 460 3063
stepforward.co.za

Preiss & Kock



1915 - 2025



18^{de} PRODUKSIEVEILING

• 11 Februarie 2025 • 12h00 • Snyhoek, Hanover

ROETE:

Vanaf Hanover: Ry op die Richmond pad (N1) vir 1km. Draai regs op die Elandsfontein/Klipfontein grondpad. Ry vir 700m. Draai links. Ry vir 18.6km. Draai regs by vork. Ry vir 11km. Draai links. Ry vir 3.5km. Draai regs. Ry vir 8.2km. Draai links by plaas in.

AANBOD:

- 80 Horing & Poenskop Ramme
- 120 Merino Ooie (2T-4T)
- 300 Merino Oilammers
- 150 Merino Hamel Lammers

GASVERKOPER : • 100 Dragtige Ooie (2T, 8mnde wol)
CHRISTIAAN VENTER

NAVRAE: BENNIE STEYN (BKB)

REINHARDT KOCK (TELER)

BASIL KOCK (TELER)

AFSLAER: DANIE STRAUSS

082 772 4548

082 373 5546

082 825 1887

072 585 4028



BESOEK ONS BY WWW.BKB.CO.ZA

VOLG ONS OP: FACEBOOK INSTAGRAM LINKEDIN YOUTUBE

AFSLAERS: POSBUS 304, CRADOCK, 5800 TEL: 048 091 3090 FAKS: 048 091 2605 E-POS: DEMARK.CRADOCK@BKB.CO.ZA REG. NO. 1999/012435/06

BKB
LEWENDEHAWE &
AFSLAERSDIENSTE

DE BRUIN BONSMARAS & KALKVELD

12 FEBRUARIE 2025 - 11:00
VRYBURG SKOUGRONDE



20 Bulle
150 Vroulike
diere

De Bruin
DBB Bonsmaras

Kalkveld



Pieter de Bruin:
083 320 6655

Hannes van den Berg:
082 925 4051

Jannie vd Heever: 082 821 5418 • Wouter Mentz: 082 944 0217



TIGANE BONSMARAS

AANTEELVEILING

13 FEBRUARIE 2025

11:00 | PLAAS GOEDVOORUITZICHT | HARTBEEFONTEIN



GASVERKOPERS:
JOHAN VOSLOO
JIA BOERDERY - JACQUES CALITZ

20 BULLE
150 JONG KOEIE & KALWERS
120 DRAGTIGE VERSE

BM SKOON. DRAGTIGHEIDS- ASOOK VRUGBAARHEIDSTATUS
BESKIKBAAR DIE DAG VAN DIE VEILING.



TIGANE BONSMARA - BEYERS BOERDERY

POENA KUDDEVAAR
MCU170202

JACQUES CALITZ : 082 044 1702
KLEINJAN BESTER : 083 359 8199
JOHAN VOSLOO : 082 370 7089
THEUNS VISSER (AFSLAER) : 082 338 1356



ANDRÉ KOCK & SEUN/SON BK
Lewendehawe Afslaaers & Elendomsagents
Livestock Auctioneers & Estate Agents



053 927 1981

VERKOOP VOORWAARDES: Rekeninge moet versien word
dies na afloop van veiling bin kortlaet of elektroniese
fontoonding. Soora totale bedrag in ons rekening reflekteer
kan vlees/diere gelaa word. Namlaantantoringflowe sal
gehef word op alle kontaktransaksies. FICA dokumentasie
(ID / paspoort en bewys van verlyf) moet teenwoordig
wees om transaksie af te handel.

Update on Foot-and-Mouth in the Eastern Cape

Update on Foot-and-Mouth in the Eastern Cape:

Status of FMD in the Eastern Cape:

Kouga & Koukamma:

No new cases have been reported, and no positive results have been received since the 19th of September 2024 (serologically positive). There are 37 positive farms (made up of 6 beef farms and 31 dairy farms) and 39 negative-vaccinated farms within the DMA. Of the 37 positive farms, 26 have reached Day 0.

56 farms in the DMA are naïve and not under quarantine, which includes 15 000 animals that are naïve and unvaccinated.

Surveillance testing was done during December on naïve farms, the State Vet is still awaiting these results. These results as well as an additional round of intensified surveillance testing (which would include a combination of clinical and serology surveillance) have to be done within the DMA to prove that there is no circulating virus within the DMA, mainly on the negative farms in the DMA, as these farms will be classified as sentinel farms. It was suggested that cows born after the last reported case should also be considered in the surveillance. The National Department will consider lifting the DMA once this has been achieved and negative results are obtained from the surveillance testing.

This would be the first step towards lifting the DMA, as agreed to by the National Department.

Once the DMA is lifted, the farms under quarantine (positive-vaccinated and naïve-vaccinated farms) will remain under quarantine, with restrictions, until the quarantine has been lifted. The State Vet has cautioned the rush of lifting the DMA, as the risk is still high.

The surveillance planning and steps to lifting the DMA will be taken to the Technical and Trade Committee and National for guidance.

For the lifting of quarantine, Dr Maja referred to the WHOA standards with regards to the closing of an outbreak, and therefore lifting of quarantine on individual farms is based on the Terrestrial Animal Health Code, which states a quarantine period of a minimum of 12 months.

Restrictions outside the DMA: The Department is considering doing away with the restrictions outside the DMA, they want to do a bit more surveillance in this area first. Some surveillance was done during December, and are awaiting the results before making a decision. The outcome will be looked at and considered if more surveillance should be done before the restrictions are removed.

East London:

6 months post Day 0 has been reached in December 2024, therefore they can now slaughter at abattoirs outside of Claremont. They have been approved to send animals to slaughter at another abattoir from January 2025.

Matters arising:

Emergency slaughters, cull/weaner cows and calves movement to a abattoir:

Four farms have already been approved to slaughter at any abattoir (that does not have export status) outside the DMA but within the State Vet area. There is currently a capacity problem from Veterinary Services which cannot keep up with the demand to inspect and seal trucks. Solutions to this are being sought by Veterinary Services, and they are pulling officials from Grahamstown and Graaff-Reinet to assist.

Farms that have reached 6 months post Day 0 can apply to slaughter at other registered abattoirs. Approval must be sort for slaughter in other abattoirs for each abattoir that will be used. The 39 farms vaccinated during the mass vaccination, have reached Day 0 as of last week Friday, therefore there will be a large number of slaughter applications coming through to the Department which will increase the demand for the inspecting and sealing of trucks to slaughter.

Movement to Western Cape:

The Western Cape Director advised that movement of cattle and sheep to the Western Cape from outside the DMA will be approved, however the State Vet at destination needs to be informed. Once this has happened, producers can move said animals to the Western Cape under the permit process (through Agri EC) after the Eastern Cape has been notified and received approval from the Western Cape State Vet for the area of Destination. The 28-day isolation rule will be enforced and remain in place.

Animals to Auction – Outside the DMA:

Currently, as it stands no animals from Kouga and Koukamma Local Municipal areas are not allowed to move to an auction. Movement to an auction for animals outside the DMA will now be considered but they must be moved under the permit system to auction. These movement applications must go through the permit system done through Agri EC.

An auction facility outside the DMA will also be considered but the pin coordinates first need to be sent to Dr Strydom for approval first before anything can take place. All animals moving to the auction facility outside the DMA will need to

move under permit. No animals from within the DMA will be allowed.

For the movement of animals from the auction to the destination, a declaration will have to be signed attesting to the 28-day quarantine period on the farm of the destination. Alternatively an “open permit” could be provided to the auctioneers for those registered to take part in the auction which the auctioneers can fill in the final tag numbers and sign off for movement to destination. The auctioneers are to provide Dr Strydom with the number of animals at auction and the number of animals purchased for reconciliation purposes.

Branding of Animals:

From June to September 28 farms were branded totaling 25 195 animals branded by State Officials. 7 farms branded themselves, totaling 8 851 animals.

The branding irons donated by RMIS have been used to brand 6 farms so far since receiving the irons, an update on how many animals have been branded is still to be received.

There is a branding operation planned from the 27th of January to the 7th of February, this depends on accommodation for officials and gas for cylinders as the gas is running very low.

Currently, gas and gas bottles are a limiting factor.

It is important that all animals are branded before the DMA is lifted.

Movement Permits:

Movement permits for movement within and outside the DMA and within the Kouga and Koukamma Local Municipalities currently remain in place and farmers are encouraged to continue using the system for movement.

Outside the DMA continue to send applications to Megan at environment@agriec.co.za or agriops@agriec.co.za.

Application for within the DMA will be sent to Heidi, and farmers must follow up directly with Heidi Geyser by email eep.fmdpermits@drdar.gov.za or on 066 302 0878 (via WhatsApp) if need be.

Kind regards,
Megan Maritz
Agri EC Natural Resources Manager

OPRI-PLAAS FEES - THE OUTPOST DULLSTROOM
2025 2025



ITickets 14-15 Junie 2025



WE DO THINGS DIFFERENTLY
ASK US HOW



CATTLE KRAAL

Incl 1 pinper kraal panel

Red oxide undercoat

We offer Delivery

R2200 ea

Valid until 29 Feb
2025



Designed &
manufactured
by STPP

+27 72 879 4871

+27 84 608 4239

Vanderbijlpark Gauteng

2mm material
3mx1.6m high

Ectoshield

THE TRUSTED
DOUBLE ACTION SHIELD
AGAINST EXTERNAL PARASITES

POUR-ON WITH 2 ACTIVES, CYPERMETHRIN AND AMITRAZ



CONTROLS TICKS, HOUSE-
STABLE- AND FACE FLIES &
ALSO KILLS LICE ON CATTLE



CONTROLS BONT TICKS
AND RED-LEGGED TICKS
ON SHEEP



Product Name: Ectoshield. **Registration Number:** G2671 Act 36/1947 (South Africa). **Composition:** Cypermethrin 1,5 % m/v, Amitraz 1,75 % m/v.
Registration holder: Kyron Animal Health (Pty) Ltd, Co. Reg. No. 2004/021847/07, Unit 45C, 45 Parkview Street, Highway Business Park,
Rooihuiskraal Ext. 31, Centurion, 0157, South Africa. **Export countries:** Namibia – V09/18.3.4/1137 [NSO].



KARWITSE/2024/11

In opdrag van Sononder Boerdery

VERKOPING VAN AANTEELKUDDE

(skakel oor na
backgrounding
stelsel)

Vrydag 14 Feb. 2025 - 11h00 - NKLH Kimberley Veilingskrale.

660

BOVELDER EN BONSMARA BEESTE

Nota: BM en Trig
negatief getoets.
Katalogus dag van
veiling beskikbaar.



- 220 Koeie met kalwers
- 80 Koeie met kalwers (3-in-1)
- 60 Dragtige koeie

Noordkaap Lewendehawe Koöperatief Beperk,
Industriaweg 6, Vryburg

Navrae: Johan Visser (Bemarker): 082 095 2927 • Koos Coetzee (Afslaer): 079 945 4355

DENBOT

Bonsmaras

8ste PRODUKSIEVEILING

21 FEBRUARIE 2025 - 13:00
NKLH VEILINGSKRALE KURUMAN

Aanbod:

- 10 Bonsmara bulle
- 150 Bonsmara Vroulik



Noordkaap Lewendehawe Koöperatief Beperk
INDUSTRIAWEG 6, VRYBURG.

NAVRAE:

Andrew Bothma:
078 456 4718

Jaco Pietersen (Bemarker):
082 411 3406

Chris Hendriks (Afslaer):
083 449 0852



Nuwe inisiatief bring hoop vir Wes-Kaapse landbougemeenskappe

Landbouwerkers in die Wes-Kaap het nuwe rede tot hoop nadat die Landelike Stigting, 'n organisasie wat daarop gemik is om plaaslike gemeenskappe se lewensomstandighede deur middel van sport en onderwys te verbeter, amptelik bekendgestel is.

Tydens die geleentheid wat Donderdag plaasgevind het, is 'n samewerkingsooreenkoms met die Landbou Akademie in Bloemfontein, asook met die private landboukollege International Agricultural Academy for Africa College (I3A) aangekondig. Dié vennootskap het ten doel om satellietkampusse van I3A in Kaapstad – en in die groter Wes-Kaap – te vestig.

Volgens Fanie Cronjé, uitvoerende hoof van die Landelike Stigting, is die samewerkingsooreenkoms 'n deurslaggewende stap om lewensomstandighede vir landbouwerkers in dié provinsie te verbeter.

“Ons sien hierdie projek as 'n belangrike mylpaal vir sosio-ekonomiese opheffing. Deur formele opleiding vir landbouwerkers beskikbaar te stel, kan ons nie net hul vaardighede verbeter nie, maar ook hul loopbaangeleenthede verbreed,” sê Cronjé.



Fanie Cronjé, uitvoerende hoof van die Landelike Stigting. (Foto: Facebook/Landelike Stigting)

Die Landelike Stigting het sy oorsprong in die Advance Network-inisiatief, wat sedert 2022 verskeie sewesrugby- en netbaltoernooie vir landbouwerkers in Stellenbosch en Tulbagh aangebied het.

As deel van sy langtermynstrategie is daar besluit om 'n netwerk met verwante organisasies te stig wat op sport-, sosio-ekonomiese en ekonomiese ontwikkeling in die landbousektor fokus.

“Ons het gesien watter positiewe impak sport op die landbougemeenskap het. Dit het ons geïnspireer om 'n breër netwerk op te bou met organisasies wat dieselfde doelwitte deel.

“Die uiteindelige doel is om die gemeenskappe waarin ons werk werklik te bemagtig,” het Cronjé benadruk.

Die vennootskap met I3A is een van die vernaamste inisiatiewe van die stigting en behels die vestiging van 'n satellietkampus in Kaapstad.

“Deur samewerking met I3A kry landbouwerkers toegang tot erkende opleiding, wat 'n belangrike rol in die volhoubare ontwikkeling van die sektor speel,” het Johann Stassen, besturende direkteur van I3A, tydens die bekendstelling gesê. Hy het ook besonderhede oor die aanvanklike vestiging van die kampus, die model vir die projek en die verwante koste verduidelik.



(Foto: Facebook/Landelike Stigting)

Benewens onderwys, bly sportontwikkeling 'n kernfokus van die stigting en word dit tans oorweeg om sokker as 'n sportkode vir landbouwerkers by te voeg.

Die Landelike Stigting het ook 'n vennootskap met die Mark Fish Foundation (MFF) aangegaan om MFF se suksesvolle "Fast Footy"-liga, wat tans in Limpopo bedryf word, na die Wes-Kaap uit te brei.

Volgens Cronjé is sport 'n belangrike instrument om gemeenskappe te verenig en talent te ontwikkel.

"Deur sporttoernooie te hou, bring ons nie net mense bymekaar nie, maar ons bou ook 'n gevoel van trots en samehorigheid onder landbouwerkers," het hy verduidelik.

Die Landelike Stigting se filantropiese fokus sluit ook fondsinsameling in, wat nie net die voortsetting van sportgeleenthede verseker nie, maar ook die moontlikheid bied om formele onderwys aan landbouwerkers beskikbaar te stel.

"Ons is opgewonde oor hierdie nuwe fase en glo dat ons werklik 'n verskil in mense se lewens kan maak," het Cronjé afgesluit.

Bron: <https://maroelamedia.co.za/nuus/sa-nuus/nuwe-inisiatief-bring-hoop-vir-wes-kaapse-landbougemeenskappe/>

PRESISIE VOEDING VIR EFFEKTIWITEIT

'N TROTSE VERSKAFFER EN
VERSPREIDER VAN  **de heus**™ VOERE



Ons voorsien u graag van kundige aanbevelings en oplossings gegrond op u kudde-behoeftes.



DE HEUS VOERE SPESIALISEER IN DIE VOLGENDE:

Kliënte spesifiek oplossings

BEESTE:

• Voerkrale • Stoet & kommersiële • Backgrounding • Melkeriye

SKAPE & BOKKE

• Voerkrale • Intensiewe & ekstensiewe eenhede • Varke
• Braaikuikens • Lêhenne • Wild

SKAKEL ONS NOU VIR 'N BESOEK OP U PLAAS, SAAM MET ONS VEEKUNDIGES

SAKKIE KOTZÉ

📞 082 888 6158

🌐 www.hoefelddienste.co.za

☎️ (013) 010 1426

✉️ sakkie@hoefelddienste.co.za

📍 7 Kortstraat, Hendrina



**DIE ENIGSTE
DUBBEL
-PENISILLIEN¹
DROË KOEI
BEHANDELING
BESKIKBAAR IN
SUID-AFRIKA**

CURACLOX DC

Intramammary

Kloksasillien en Ampisillien
IN 'N LANGWERKENDE BASIS

'N ENKEL DROË KOEI BEHANDELING WAT EFFEKTIEF IS
TEEN GRAM-POSITIEWE EN GRAM-NEGATIEWE BAKTERIEË
BESKIKBAAR IN SUID-AFRIKA.⁴

INDIKASIES

Vir die eenstap-afdroog en behandeling van mastitis by droë koeie wat veroorsaak word deur bakterieë wat sensitief is vir kloksasillien en ampisillien.¹

Curaclox DC is 'n kombinasie van semi-sintetiese penisilliene (ampisillien en kloksasillien), wat uitgebreide bakteriedodende aktiwiteit vertoon teen die meeste mastitis-veroorsakende patogene, insluitend penisillien-weerstandige stamme.³



Dit bied 'n breë-spektrum doeltreffendheid teen beide Gram-negatiewe en Gram-positiewe bakterieë (*Streptococcus spp.*, *Staphylococcus spp.*, *Corynebacterium pyogenes*, *Escherichia coli*, *Pseudomonas spp.*, ens.). Kloksasillien is ook aktief teen beta-laktamase-produiserende stamme.^{1,2,3}



Produk naam: Curaclox DC **Registrasienumer:** G2617 Wet 36/1947 (Suid-Afrika). **Elke 4,5 g spuit bevat:** Kloksasillien 500 mg, Ampisillien 250 mg **Registrasiehouer:** iPharma (Edms) Bpk, Reg. Nr. 2010/000192/07, 124 Elevation Laan, Randjesfontein, Midrand, 1683. **Verkoop en versprei deur:** Kyron Animal Health (Edms) Bpk., Co. Reg. Nr. 2004/021847/07, Eenheid 45C, 45 Parkview Straat, Highway Business Park, Rooihuiskraal Uitbr. 31, Centurion, 0157, Suid-Afrika. **Uitvoerlande:** Namibië - V00/16.1/265 Wet 13/2003 **NSO**

Verwysings: 1. Package insert approved 23-08-2021 2. Mercer, MA. 2022. MSD Veterinary Manual: Use of Penicillins in Animals. Online. Merck & Co. <https://www.msdrveterinarymanual.com> accessed 26/09/2022, 18:15. 3. Jadhav BS, Pawar D, Vare V, Sonawane K, Shinde A. 2021. A review of synergistic fixed dose combination of Ampicillin and Cloxacillin or broad spectrum antibacterial activity. International Medical Journal Volume 28, Issue 02. Accessed <https://www.researchgate.net> 27/09/2022, 06:51. 4. MIMS. IVS SPECIALITY INDEX. 2022. Mammary gland 14.1. Volume 60 Number 2 June-August 2022

Sold and
Distributed by:
Tel: 0861 247 463
www.kyronagri.com



STEEL TUBE & PIPE PROFILES
WEIGHCRATES FOR
CATTLE



Excellent quality &
Great service

2 ton scale



We offer delivery

+27 72 879 4871

Bloempark 2, Vanderbijlpark AH, Gauteng, 1911

maluti DORMERS

9^{de} Produksieveiling
lewendige & aanlynveiling



Dekades se genetika vir jou

ONDER BESKERMING VAN DORMER GENOOTSKAP

22 FEBRUARIE 2025 @ 11:00
RIETKUIL, CLOCOLAN

40 RAMME · 40 STOETOOIE · 400 KOMMERSIËLE OOIE



Nova Barletta Dormers: Lodie van Reenen & Dr. Carl Scholtz 072 597 6047
Umpukane Dormers: Peet van Rooyen 082 925 4189
OVK: JT Fourie 082 854 8620 & Pieter Cloete 082 445 1501



Goats of gold: Australia's feral goat problem has become a \$235m export trade

The
Guardian

Australia is the world's largest exporter of goat meat despite accounting for just 0.4% of total global production – and it's mostly from wild herds

On a sprawling property in outback Australia, Nick Deshon and his team are drafting rangeland goats. The goats are a motley, multicoloured lot; some have beards, others sport mohawks or woolly mops, long hair or short. There are curved horns, tufty tails and soft eyes.

But this motley crew – born wild then rounded up – has helped make Australia the largest exporter of goat meat in the world.

Deshon and his sons, Tom, Harry and Jack, work on their 24,000 hectare (59,300 acre) property between Cumborah and Lightning Ridge in northern [New South Wales](#). They have been operating a goat depot since 2003, sourcing small numbers of feral goats from pastoralists from Moree to Gilgandra and collating them for transport to the abattoir in Bourke, where up to 3,500 can be processed daily.

In the heady days of 2021, goat prices at the abattoir peaked at \$10/kg carcass weight, before plummeting to \$2.40 at the end of 2023. "When there's no price, no one chases the goats," Deshon says. "At the end of 2023 there was not much coming in the gate, and we didn't have a lot of feed.

"Then it started raining and the price went up to \$3.20 and people started chasing them again.

Now we're back in the game, the feed is unreal, and the goats are pumping on weight."



'Ours is a low-cost operation and you can still make a bob out of it when the prices are low' - Nick Deshon is happy harvesting feral goats. Photograph: Mandy McKeesick/The Guardian

Feral goats are found all over Australia, but western NSW is where they are most prevalent, with the last count, in 2020, estimating a population of 4.9 million. According to [Meat and Livestock Australia](#) 2,364,307 goats, worth \$235m, were slaughtered in 2023.

That's only 0.4% of global production, and domestically, the market is small. Just 9% of Australian goat meat is consumed onshore. The rest is exported: Australia produces 35% of all goat meat exports, and accounts for 44% of the

global export value of goat meat. Most is exported as frozen whole carcasses.



Workers at goat depot: Goats are well adapted to arid and semi-arid environments meaning farming requires little to no chemical inputs. Photograph: Mandy McKeesick/The Guardian

The biggest market is the United States, accounting for an average 60% volume share over the past five years. Goat, an affordable meat that has a low fat content, high iron levels, and no religious restrictions, is popular in Hispanic and Muslim communities.

Feral rangeland goats still make up the bulk of the market in Australia, through goat depots. Goat depots are collection points that allows operators like Deshon to bypass Australia's livestock tracing system and tagging requirements, provided the goat goes directly from the property of capture to a goat depot to an abattoir.

But farmed production systems are on the rise, encouraged by the NSW government, which recently invested \$1.2m into the industry through its [Going Ahead with Goats](#) project.

“Our goat producers in western NSW are at the forefront of the goat industry and the NSW government is supporting them with a number of resources so goat producers and stakeholders can take their goat business and the industry to the next level,” the NSW agriculture minister, Tara Moriarty, says.

But the Invasive Species Council has warned against increasing goat production, estimating that feral goats cause losses to livestock farming of \$25m a year.

“Goats are one of the worst invasive species because they stop regeneration of bushland, they overgraze [vegetation], they outcompete native animals and they erode soils and stream banks,” the Invasive Species Council's advocacy director, Jack Gough, says.



Australia produces 35% of all goat meat exports, and accounts for 44% of the global export value of goat meat. Just 9% of Australian goat meat is consumed locally. Photograph: Mandy McKeesick/The Guardian

“They have been recognised under federal environment law as a direct threat to species on the brink of extinction and one of the emerging threats is the reduction of carbon storage due to their eating of woody vegetation.”

Kieran Smith is the goat adviser with NSW Local Land Services, the body responsible for the administration of the Going Ahead with Goats project. He says the damage caused by feral goats is not specific to goats – it would be a problem with any uncontrolled herbaceous animal.

“We work with landholders to manage total grazing pressure, which considers the number of domestic, native and pest species, to produce positive outcomes for the landscape,” Smith says.

Goats are well adapted to arid and semi-arid environments meaning farming requires little to no chemical inputs.

“They can also control weeds in the landscape and their production has considerable economic value for western NSW communities, not just the landholders but flow on effects from truck drivers to abattoir workers,” Smith says.



Feral goats are found all over Australia, but are most prevalent in western NSW, with the last count estimating a population of 4.9 million. Photograph: Mandy McKeesick/The Guardian

The main barriers to commercialisation of goats have been the lack of suitable infrastructure and the seasonal variation of the wild goat population. The Going Ahead with Goats program aims to upskill producers to improve productivity and profitability and research the development of sustainable genetic improvements, especially the introduction of Boer and Kalahari goats.

But Deshon is happy to remain harvesting the feral population. "Farmed goats need to be ear-tagged but if goats go straight to the abattoir you

don't need to tag," he says. "In a busy year I've processed up to 10,000 goats and tagging all of them would be a nightmare, plus there are safety issues handling the big billies. Ours is a low-cost operation and you can still make a bob out of it when the prices are low."

Mandy McKeesick is a writer and former cattle farmer from central Queensland

<https://www.theguardian.com/australia-news/article/2024/jul/14/goats-of-gold-australias-feral-goat-problem-has-become-a-235m-export-trade>

LOADING RAMP



with/without wheels

R17500

VALID UNTIL 29 Feb 2025



We offer delivery

Bloempark 2, Vanderbijlpark AH, 1911
072 879 4871 / sales@steeltubeprofiles.co.za



WE LOVE YOUR ANIMALS

WITHOUT THE SIDE-EFFECTS.

Eco-Vet has 30+ fully registered & effective homeopathic remedies for your animals acute and chronic conditions. From scratching and allergies to arthritis and epilepsy and much more!



Suitable for
all animals



Veterinarian
developed



4 year
shelf-life



Easy to use &
understand



Cannot be
overdosed



Side-effect
free



Fully registered
remedies



Visit Our Website
& Socials:

www.ecovet.co.za
[@EcoVetSA](https://www.instagram.com/EcoVetSA)
[EcoVet Agri SA](https://www.facebook.com/EcoVetAgriSA)

Find out more TODAY!

Head Office:
25 16th Street, Menlo Park, Pretoria
Our range is available nationwide.



More Information :

012-460-4808
083-810-6439 (WhatsApp)
Agri: 082-492-6736
media@ecovet.co.za

26 FEBRUARIE 2025

CHARAC MERINOS



50 HORING & POENSKOP RAMME

HOUDCONSTANT
GRAAFF-REINET
11:30

Fourie Vosloo 082 854 97 30 & Adriaan Botha 082 497 82 34



25ste LUCASDAM DORPERS PRODUKSIEVEILING
27 FEBRUARIE 2025 - 11:00

PLAAS LUCASDAM, POSTMASBURG GPS: 25°14'52.8"S 22°51'31.8E



Aanbod

- 45 Dorperramme
- 25 Dorperooie
- 15 Witdorper ramme
- 30 Witdorper ooie
- 10 Savanna ramme
- 5 Boerbok ramme

30 savanna ooie, 15 meatmaster ooie, 30 Verse



Dis nou Dorpers die!

GASVERKOPERS



Afslaaers • Auctioneers
STOET & KOMMERSEEL
STUD & COMMERCIAL

NAVRAE: John Daniel: 082 552 2933 LUCASDAM DORPERS
Gasverkopers:

Mervin van Greunen: 083 792 9263 • Cristoff Möller: 083 655 4065
Larry Snyders: 063 478 7766 • Johnny Coetzee: 073 424 7540

Bemarker: Roux van der Merwe: 082 781 3735 •

Stoel- & spesiale veilings: Ramona de Bruin: 083 319 8626

Afslaer: Chris Hendriks: 083 449 0852



Moet julle daarom nie oor môre bekommer
nie. Môre sal sy eie bekommernisse bring.
Vandag se moeilikhede is vir een dag
heeltemal genoeg.

Matteus 6:34



Foto: AffiePlaas Fotografie

Bogemiddelde reën vir noordooste van SA verwag

Die Suid-Afrikaanse Weerdiens sê aangepaste weervoorspellings vir die tydperk Februarie tot Junie dui op bogemiddelde reënval vir die noordoostelike dele van die land.

Die weerdiens sê dit is in direkte teenstelling met die vorige aanduidings en kan waarskynlik toegeskryf word aan die skielike styging in temperature in die ekwatoriale Stille Oseaan. Dit het 'n skerp toename in die moontlikheid van bogemiddelde reënval veroorsaak.

Ondergemiddelde reënval word oor die suidwestelike dele van Suid-Afrika verwag; dit is egter nog nie dié streke se reënseisoen nie en die weerdiens sê geen noemenswaardige uitwerking word verwag nie.

Minimum en maksimum temperature gaan tussen Februarie en Junie ook meestal hoër as die gemiddeld wees. In die suidelike kusgebiede gaan ondergemiddelde maksimum temperature egter na verwagting deur die somer voortduur.

Die weerdiens sê ook die El Niño- suidelike ossilasie (ENSO) het onlangs die El Niño-drempel oorgesteek en gaan na verwagting oor die volgende paar maande op dié drempel bly. Daar kan nog nie met sekerheid 'n voorspelling gemaak word nie, met verskeie internasionale modelle wat verskillende rigtings aandui – óf 'n versterking van die La Niña-staat óf 'n neutrale staat.

In Suid-Afrika moet daar steeds met groot waaksaamheid omgegaan word met die gebruik van ENSO in enige belangrike beplanningsbesluite; die weerdiens sê die

stelsel is steeds geweldig onvoorspelbaar en wisselvallig.

In Suid-Afrika, waar die somer nou geleidelik einde se kant toe staan, is daar boonop al hoe minder kans vir 'n moontlike La Niña-stelsel om enige uitwerking hier te hê.

Water, krag

Die verwagte bogemiddelde reënvaltoestande in die noordoostelike dele van die land gaan watervlakke in die voorspellingstydperk laat styg. Dié toestande kan aanleiding gee tot kitsvloede in streke wat reeds geneig is tot oorstromings.

Maksimum en minimum temperature sal na verwagting bogemiddeld wees en dit kan lei tot 'n verhoogde vraag na verkoeling landwyd, afgesien



(Argieffoto: Rajesh Jantila/AFP)

van die suidelike kusgebiede waar ondergemiddelde maksimum temperature verwag word.

Die weardiens vra betrokke besluitnemers om kennis te neem hiervan en geraakte ondernemings en gemeenskappe dienooreenkomstig in te lig.

Gesondheid

Die verwagte hoër temperature oor die grootste dele van die land (afgesien van die suidelike kusgebiede) gaan na verwagting ook die risiko van hitteblootstelling verhoog en dit kan tot hittestres en ander hitteverwante gesondheidsprobleme lei.


Die styging in temperature kan ook verlengde UV-blootstelling tot gevolg hê. Dit kan lei tot sonbrand en ander verwante probleme.

Die hoër temperature kan die groei van voedsel-oordraagbare patogene versnel, wat weer die gevaar van voedsel-oordraagbare siektes verhoog.

Mense word aangeraai om goeie voedselhygiëne te handhaaf en voorsorgmaatreëls te tref om hitteblootstelling te bestuur.

Die verwagte bogemiddelde reënval vir die noordoostelike dele van die land kan tot kitsoorstromings lei, veral in gebiede wat geneig is tot oorstromings of waar daar nie voldoende dreineringsstelsels is nie. Die toestande kan lei tot wateroordraagbare infeksies, waterverwante beserings en verdrinkings.

Landbou



plaasdam.jpg (Argieffoto)

Die landboubedryf word aangeraai om kennis te neem van die bogemiddelde reënval wat oor die meeste dele van die somerreënvalgebied verwag word, veral in die noordoostelike dele van die land en in die laat somer en herfs.

Die bogemiddelde reënvalvoorspelling gaan na verwagting 'n positiewe uitwerking op gewas- en lewendehaweproduksie in dié gebiede hê. Daar is nietemin 'n verhoogde gevaar van waterversadiging wat tot gewasskade kan lei.

Boere word aangeraai om grond- en waterbewaringsmaatreëls in te stel, doeltreffende dreineringsstelsels gereed te hê en water behoorlik te oes en op te gaar.

Bron: <https://maroelamedia.co.za/nuus/sa-nuus/bogemiddelde-reen-vir-noordooste-van-sa-verwag/>



WHAT WE DO

- ✓ SALES
- ✓ SERVICE
- ✓ REPAIR

www.highveldforest.co.za





'SCAN' MY
vir meer inligting

KARNAVAL

van opwinding!

Onthou die DATUM

25 April - 3 Mei 2025



www.bloemskou.co.za | T: 051 448 9894



Genetic Alliance

Kwaliteit het 'n Naam

Dorper Auction!

High Quality adaptable Dorpers!

PRETORIA FIRE & WINE VENUE 29 MARCH 2025 | 11:00




DE OUDE KRAAL DORPERS

from Rustenburg, NW

Deon Cilliers
Cell: 079 887 4956

On the Northern slopes of the Magaliesberg, in high Hartwater veld, we strive for size, fertility, adaptability & early Market readiness!

 de oude kraal dorpers

Driven by passion!

RSVP for the Cheese & Wine evening at Fire & Wine! 28 March 2025 18H00.

Elize: 066 255 5075




JOWILIZE DORPERS

from Potchefstroom, NW

Elize Visser Cell: 082 428 1406



Jowilize Dorpers, Established in 2017 with well adapted animals. Bred for fertility, hardiness and longevity.

 jowilize dorpers

Export of livestock from South Africa to the world!
Corne Cell: +27 76 371 0740

Auctioneer Danie Strauss Cell: 072 585 4028



Corné du Plessis | 076 101 9996
Marlise | 065 716 4689 (Online)

PW van Heerden | 083 627 4133 (Marketing & Transport)
Jim Makgae | 073 735 9195 (Marketing)

cdpauctions.co.za



ONLINE CONDITIONS:

- 1) Fica documentation at registration
- 2) 1% Online auction commission payable

Online registration and more information: <https://bid.cdpauctioneers.co.za/>



Scientists study if goats and dogs can predict earthquakes and volcanic eruptions

A previous study in Sicily found that goats became nervous before an eruption at Mount Etna

A team of scientists have begun exploring whether dogs, goats and other farmyard animals are able to predict natural disasters such as volcanic eruptions and earthquakes.

They have enrolled thousands of animals for a programme that uses tiny transmitters fitted to mammals, birds and insects to monitor their movements from a satellite in space.

As well as analysing their reaction to imminent disasters, it will also study the spread of diseases among breeds, the impact of climate change and migration patterns.

A previous study in Sicily on the slopes of Mount Etna, an active volcano, found that sensors showed the goats became nervous before an eruption and refused to move to higher pastures.

“They know beforehand what is coming. We don’t know how they do it, but they do,” the project leader, Martin Wikelski, of the Max Planck Institute of Animal Behaviour in Germany, told The Guardian.

“Ultimately, we hope to launch a fleet of around six satellites and establish a global observation network that will not only provide details of wildlife movements and animal health across the planet but reveal how creatures respond to natural phenomena like earthquakes,” he said.

It remains unclear why animals behave this way, with Mr Wikelski suggesting that the movement of tectonic plates throwing “ions from the rocks into the air” could be causing their reaction.

Tagging technology has made it easier for scientists to monitor animal behaviour, with tiny digital transmitters collecting data that can be analysed.

For example, an electronic ear tag placed on a wild boar has helped show the quick spread of the highly contagious African swine fever between them and domestic pigs.

It should also help scientists under migration, and why creatures such as death-head hawkmoths travel 2,000 miles between Europe and Africa every year.

“Similarly, we will be able to study animal populations to determine how they are responding to habitat changes triggered by global warming,” said Wikelski.

Source: <https://www.independent.co.uk/news/science/scientists-dogs-goats-earthquakes-volcano>



The team are hoping to analyse if animals are aware of an upcoming volcanic eruption (AFP/Getty)

CLICK, FLICK, DONE.

IN THE EAR, EVERY TIME,
THE FIRST TIME.

Z TAGS™ DATAMARS



- Superior Retention
- Outstanding Durability
- Retains Readability
- Available in 8 colours




M1F4



SM/SF



**UNIVERSAL
APPLICATOR**



SCAN HERE
for product catalogue

Proudly Sold and Distributed by: Kyron Animal Health (Pty) Ltd.,
Reg. No. 2004/021847/07, Unit 45C, 45 Parkview Street, Highway Business Park,
Rooihuiskraal Ext. 31, Centurion, 0157, South Africa. Tel: 0861 247 463.

KYRON
AGRI

BOERhier
'n Boer is gekies deur God

FARMhere
Farmers are handpicked by God

2025 TARIIEWE



Advertensie Tariewe

Eén prys om in al 3 maandelikse tydskrifte te adverteer:

Volblad advertensie: R4 950 per maand

Artikel: R1 950 per tydskrif

Voorbladpakket: R10 850 per tydskrif

(Voorblad, artikel en volblad advertensie)

BH Veilings: 5de van elke maand

FARMhere: 15de van elke maand

BOERhier: 25ste van elke maand




**SOSIALE PLATFORMS
WEEKLIKSE PLASINGS**


Bogenoemde advertensies sluit in: Weeklikse advertensies op ons 22 sosiale media platforms.
Advertensies ontwerp op aanvraag teen 'n bykomende fooi (Bepalings en voorwaardes geld).


BOERhier / FARMhere gee aan God al die eer en lof vir ons volgehoue sukses.

**Bereik jou boerdery
se volle potensiaal !**

ADVERTEER BY ONS

 073 895 6392 / 071 704 6282

 E-POS: info@boerhier.co.za

 Webtuiste: www.boerhier.co.za

PERSIESKAAP TELERGENOOTSKAP NASIONALE SKOU



2de(14:00) EN 3de APRIL
2025 TE BEAUFORT-WES



Kontak:
Jaco Spamer 08341 27877
Kobus Lötter: 0824322393



Lewendehawe verander met tye



Enige smous kan diere skuif, maar die bedryf stel vandag meer verwagtinge aan agente en daarom bied elke OVK bemarkingsadviseur die nodige ondersteuning aan die teler of produsent.

“Die beplanning vir die volgende veiling begin ’n dag na die laaste veiling en behels geweldig baie elemente, maar dit begin by die aanbod. Dit is waar die bemarkingsadviseur saam met die boer deelneem aan die besluitnemings- en beplanningsproses.”

Johan verduidelik dat die betrokkenheid by ’n boerse telery ’n langtermynprojek is. “Dit is nie soos ’n gewas wat jy plant en ’n paar maande later stroop jy nie. As jy ’n spesifieke bul nou gebruik, kom sy kinders na ’n jaar in produksie en dan kom hulle kinders oor drie jaar in produksie.

Dit kan ses tot sewe jaar neem voordat jy die impak van die besluit om ’n spesifieke bul te gebruik, eers kan evalueer en die genetiese vordering sien.” Dit is om hierdie rede dat samewerking belangrik is en beplanning saam met die boer gedoen moet word. “Ons is baie betrokke by die telersgenootskappe om konstant op hoogte te wees ten opsigte van teelbeleide en die toekomstige oogmerke wat hulle wil bereik. Ons bemarkingsadviseurs neem ook deel aan al die kursusse wat die telersgenootskappe aanbied, wat keuring van bulle en beoordeling insluit en hulle leer sodoende die ras in diepte ken. Dit is wat die bemarkingsadviseur kwalifiseer om saam met die boer die volgende veiling se

aanbod te kan beplan en bestuur. Dit sluit in voeding, gesondheid en toetse soos vrugbaarheid en dragtigheidsstatus.” Benewens die aanbod is die tweede been in ’n veilingaanbieding die bemarking. “Die dae is verby waar jy net ’n advertensie in die Landbouweekblad kon plaas en die kopers daag op. Vandag het ons ’n baie langer aanloop tot en met die veiling deur aksies op bv. sosiale media te loods en bewustheid te skep. Besigtigingsdae ’n paar maande voor die veiling is uiters belangrik om die potensiële koopkrag betrokke te kry by jou kudde. Bemarking is dus ’n deurlopende aksie.

“Ek wil dit egter beklemtoon dat mense by mense koop. Menslike verhoudinge is ’n uiters belangrike element van ’n suksesvolle stoetveiling. Dit is nie net die bemarkingmaatskappy wat al die werk moet doen nie, maar ook die teler se betrokkenheid – sy nasorg is kritiek. Hy moet na die veiling uitvind hoe dit met sy bulle gaan, hoe hulle by die koper aanpas en self persoonlike besoeke aflê. Dit is die boere wat jaar in en jaar uit suksesvolle stoetveilinge aanbied.” OVK Lewendehawe is slegs die bemarkingsvoertuig vir die veilingaanbieding. Dit is vir ons belangrik dat die teler se handelsmerk gevestig moet word met die hulp van al die bemarkingskundiges tot ons beskikking.”



Bek-en-klouseer en ander verwante siekte uitbrake berokken die bedryf baie skade en het 'n massiewe invloed op winste en operasionele bedrywighe. Een van OVK Lewendehawe se belangrikste doelwitte is die naspeurbaarheid en biosekuriteit wat bestuur moet word omdat dit weens verskeie redes nie meer deur die regering gedoen word nie.

“Dit is die rede waarom daar nou weer bek-en-klouseer en voëlgriep uitbreek het. Die vermoë van die regering om hierdie siektes te beheer, het heeltemal weggeval en die verantwoordelikheid word afgewentel na die boer self. Dit is waar ons help om te verseker dat biosekuriteit en naspeurbaarheid op plaasvlak korrek en effektief is. Wanneer daar groot siektes soos bek-en-klouseer uitbreek en jou naspeurbaarheid is effektief, kan jy binne 'n dag bepaal waar dit uitbreek het, en dit dan beperk.”

Johan verduidelik dat biosekuriteit op 'n konstante vlak toegepas word en nie net met uitbreek van siektes nie. “Dit word op al ons produksieveilings en weekveilings met streng maatreëls toegepas, met ander woorde diere word eers deur die veteriniere dienste nagegaan voor hulle verhandel word en daar word verseker dat ons binne die Veediefstalwet optree met betrekking tot die nagaan van brandmerke en ander kentekens. OVK Lewendehawe se bemarkingsadviseurs is almal by APAC geregistreer en tree volgens die voorgeskrewe reëls van APAC op.”

OVK se Lewendehawe-afdeling is 'n paar jaar gelede ontwikkel toe OVK by CMW betrokke geraak het en die afdeling het intussen tot nasionale verteenwoordiging gegroei in die groot- en kleinveesektore. “Lewendehawe tree ter ondersteuning vir die ander bedryfsareas soos handel, meganisasie en versekering op,

om uiteindelik 'n omvattende diens aan die boer te kan lewer.” Tans word streekskantore vanuit Swellendam, Cradock, Aliwal-Noord, Ladybrand, Hopetown en Standerton bedryf. Elke streekskantoor het 'n bestuurder en 'n span adviseurs wat onder meer hand-tot-hand verkope hanteer asook die aanbieding van weeklikse en maandveilings, boereverenigingsveilings, produksie- en stoetveilings, spesiale veilings soos staakveilings en geregtelike veilings.

Die OVK Lojaliteitskema is ook van toepassing op OVK Lewendehawe en bona fide boere ontvang maandeliks 'n lojaliteitsvoordeel op die bruto winsbedrag van hul transaksies wat by OVK gedoen word. Die geld word maandeliks aangewend om aandele in OVK Beherend en/ of Bedryf aan te koop en die boer ontvang selfs jaarliks dividende. Niemand word verplig om die aandele te behou nie, en die produsent het die reg om dit te verhandel en die opbrengs in sy kontantvloeibepanning te inkorporeer. OVK Lewendehawe bied hul eie finansiering aan goedgekeurde abattoirs en voerkrale. Die OVK Kliëntefinansierings afdeling bied finansieringsprodukte ter ondersteuning van veeproduksie.

Hoe vergelyk die plaaslike lewendehawemark met internasionale markte? “Ons produseer onder baie moeilike omstandighede topgehalte vleis en diere. Ons land is semi-woestyn maar wat ons aanbod betref ten opsigte van kwaliteit, produk en genetica kompeteer ons met die beste in die wêreld. Die beperkende faktor is dat ons nie ons genetica die wêreld kan instuur nie as gevolg van swak veteriniere beheer deur ons regering. Sodra ons ons eie biosekuriteit en naspeurbaarheid in plek kry, is dit in die hande van die boer en iemand soos 'n OVK om self uitvoergeleenthede te skep. Saoedi- Arabië is 'n voorbeeld van 'n potensiële mark wat suksesvol ontgin is.”

Johan sien klimaatsverandering en die aanpassing daarby as die grootste uitdaging vir die lewendehawebedryf. “Die telersgenootskappe se beleide sal suiwer moet wees en voorsiening maak dat hulle diere vir die toekoms teel wat goeie hitte-uitruiling het en aanpasbaar is by die veranderde klimaat in spesifieke streke van die land wat warmer word. Hierdie diere sal dan ook in die veranderde klimaat moet kan produseer. Indien dit nie gebeur nie, gaan die ras uitsterf.

Bron: <https://brangus.org.za/2024/10/03/lewendehawe-verander-met-tye/>




Supplying Africa with environmentally friendly products




AgriConsult Africa

AGRIBUSINESS CONSULTING



A range of products containing 100% Natural, environmentally friendly Live Bacterial Enzymatic blend, used in Agriculture to improve quality, yield and overall plant health and used for the remediation of all Hydrocarbons, Sewage and Decompose all forms of organic waste.



Our products are a catalyst for organic decomposition, and an agent for the rehabilitation of soils and remediation of toxic waste, and it converts oils and greases into viable nutrients for the environment.

Our Products

- Plant Health
- Environmental Health
- Water Rehabilitation



Hein Visagie

☎ 076 590 4887

✉ hantam@agricosultafrica.co.za

🌐 www.agricosultafrica.co.za



Veilings

& Veebemarking



NASIONALE PERSIESKAAP TELEERSGENOOTSKAP VEILING

TE BEAUFORT WES
04 APRIL 2025 OM 11:00

- 20 PERSIESKAAP RAMME
- 80 PERSIESKAAP OOIE
- 10 BOERBOK RAMME
- 30 BOERBOK OOIE
- 80 MEATMASTER OOIE
- 10 GESELEKTEERDE MEATMASTER RAMME

NAVRAE:

AFSLAER PA GELDENHUYS 082 410 7705
BEMARKER GERT LAUBSCHER 082 510 2680

NELMARI LÖTTER 078 981 7962
JACO SPAMER 083 412 7877
KOBUS LÖTTER 082 432 2393



2025 VEILINGS

JANUARIE

- 22 - POTBERG DOHNES PRODUKSIEVEILING
- 28 - HARTEBEEFONTEIN MERINOS PRODUKSIEVEILING
- 29 - SUIDPLAAS DOHNES PRODUKSIEVEILING
- 30 - LOWMAR DOHNES PRODUKSIEVEILING
- 29 - GEELBEK ELITE MERINO PRODUKSIEVEILING
- 30 - TOOMFONTEIN DOHNE MERINO PRODUKSIEVEILING

FEBRUARIE

- 04 - ZEISS MERINO PRODUKSIEVEILING
- 05 - GRASVELDER AANTEELVEILING
- 05 - BEST OF BOTH PRODUKSIEVEILING
- 05 - LE ROC PRODUKSIEVEILING
- 07 - WELPIC DORMERS PRODUKSIEVEILING
- 11 - KRAANKUIL JONGOOI PRODUKSIEVEILING
- 12 - ALFA ANGORAS PRODUKSIEVEILING
- 22 - MALUTI DORMERS PRODUKSIEVEILING
- 26 - CHARMAC MERINO PRODUKSIEVEILING



VIR ENIGE NAVRAE, KONTAK:
Frans 082 336 5497 · Cornell 082 461 3105
Pieter Willem 079 691 7608



MOENIE



SIEN DIE SEISOEN NIE

STOP

ROOIWATER EN BOSLUIISOORGEDRAAGDE
GALSIEKTE (ANAPLASMOSE) IN HUL SPORE



Beskikbaar in:
100 ml

Behandel & voorkom
Asiatiese rooiwater vir tot
4 weke.
Behandel & voorkom Afrika
rooiwater vir tot 8 weke.
Behandel
bosluisoorgedraagde
galsiekte (Anaplasmose).



Beskikbaar in:
50 ml & 100 ml

Behandel &
voorkom Asiatiese
rooiwater vir 2
weke.
Behandel &
voorkom Afrika
rooiwater vir 4
weke.

Produk naam: Babex, Registrasienumer: G4109 Wet 36/1947 (Suid Afrika), Samestelling: Imitokarb dipropionaat 12 % m/v, Produk naam: Rednil, Registrasienumer: G3911 Wet 36/1947 (Suid Afrika), Samestelling: Diminaseen 70 mg/m², Fensoon 375 mg/m², Uitvoerlande: Namibië - V13/17.4.2/1187 (NSD) Registrasiehouer: Kyrón Animal Health (Edms) Bpk., Mpy. Reg. Nr. 2004/021847/07, Eenheid 45C, 45 Parkview Straat, Highway Business Park, Rooiuiskraal Uitbr. 31, Centurion, 0157, Suid Afrika.



7 poultry rules for your farm

Do you have passion for poultry and really wish to stay long in the business? Then obey these rules

1. Only order for birds you can conveniently take care of this is the most important rule of all

Instead of sticking 500 birds and the struggle to feed them or give them medication. Buy 200 .feed and give them good medication.

Trust me you'll make more profit than keeping 500 and struggling to feed and give the medication. If this happens. You'll battle with stunted growth recurrent morbidity or diseases outbreaks and high mortality

2. Never borrow money to start poultry business unless you are an expert

Of course. There is no expert in poultry business in fact. We learn everyday every stock you take in will always teach you something different. However. Haven learn from all the different characteristics displayed by each stock. You get to know more and won't be excited when challenges come. You'll know how to handle them without much damage

3. Be vigilant

The little thing you don't take as anything matters if you want to succeed in poultry. You must take it as a really business. Do you know what a

business man does every morning when he gets to his store. He prays. Then open the store and go around to check if everything is in its place he take stock of what he met there and relate with his record yesterday before closing the store. Don't just open your pen and start rushing to give your birds feed and water and rush out again. Check around, watch how they behave when you come in. Check what fell and what is no longer in it's place.

4. Never ignore warning signals

Yes I call them warning signals

1. bad smell
2. withdrawal from feed
3. Moodiness
4. Withdrawal from water

There are numerous warning signals I can't mention here .in fact they are so many.

A farmer must know how his birds behaves when they see him enter the in the morning. How they behave when he serves them feed. He should know the very active terrors and gentle lambs

If you keep these signals. You'll easily spot when something is not right

5. Never change feed indiscriminately

I know you do this. When farmer's talk about changing feed from this to this and that then this all in the name getting better results. I'm always scared for them.

Whether you are changing from a bad feed to a good one. You must be very careful.

Do you know every change in feed affects your bird negatively first before gradually bringing in the results you don't desire? Most of the time you may suffer withdrawal. Coccidiosis, feed wastage. Stress and more

Imagine changing from mash to pellets indiscriminately. Do you know what that means? Have you studied the difference between mash and pelleted feed and the process of digestion?

They may contain the same ingredients but the formulation process varies so is the digestion process

Note: I don't mean changing from starter to grower or finisher. But changing from one commercial feed to another. e.g change from chicken/ alam to other brands.

Whenever you need to change from starter to grower follow the rules 75% starter and 25% grower. 50% grower and 50% starter and finally 75% grower and 25% starter. At the end you change 100% to grower feed. You can follow the same rule whenever you need to change from one phase feed to other. This one works for feed of the same brand too.

Each company uses their own unique ingredients to make their feeds although they may give the some nutritional content. Before using any feed for birds. Find out first about the feed and make sure you stick with it

6. Never let your birds run dry of water

Have you heard of heat stress? If it has happened to your birds then you'll understand what I'm saying.

Heat stress can wipe your entire flock, and it may leave your birds vulnerable to all kinds of infections as their immune system get weakened and may take more than 14 days to fully recover.

Your birds can survive 48 hours without feed but they can't survive 7 hours without water. Instead of running out of water. Please run out of feed

7. If you can't drink that water don't give it to your birds

Some farmers treat chickens as if they are just animals and nothing matters. Maybe they're forgotten they are dealing with delicate live animals.

Waterborne diseases are some of the deadliest disease and most difficult to control. Imagine a tiny drop of harmful substance inside the drinking water. It'll contaminate the whole water. If it was feed it may not be that bad please. If you can't drink that water don't give it to your birds. I'm not talking about medication water.

Source: Farm West



Ectoshield

THE TRUSTED
DOUBLE ACTION SHIELD
AGAINST EXTERNAL PARASITES

POUR-ON WITH 2 ACTIVES, CYPERMETHRIN AND AMITRAZ



CONTROLS TICKS, HOUSE-
STABLE- AND FACE FLIES &
ALSO KILLS LICE ON CATTLE



CONTROLS BONT TICKS
AND RED-LEGGED TICKS
ON SHEEP



Product Name: Ectoshield. **Registration Number:** G2671 Act 36/1947 (South Africa). **Composition:** Cypermethrin 1,5% m/v, Amitraz 1,75% m/v.
Registration holder: Kyrone Animal Health (Pty) Ltd, Co. Reg. No. 2004/021847/07, Unit 45C, 45 Parkview Street, Highway Business Park, Rooihuiskraal Ext. 31, Centurion, 0157, South Africa. **Export countries:** Namibia – V09/18.3.4/1137 [NSO].



AMAZING CHICKEN FACTS!

- They can distinguish between 100 faces
- They see more colors than humans
- They make friends and will grieve
- They can taste salt but not sweet
- They have dreams when asleep
- The worlds oldest chicken lived to 16
- There are more chickens on earth than humans
- They are the closet living relatives of the T-Rex
- In the wild they navigate using the sun
- They cannot sweat
- They can run at 9mph





SEAL EARTH DAMS EASILY

ONE HECTARE CAN BE TREATED IN ONE DAY



SEAL EARTH DAMS EASILY



ONE DAY TREATMENT = SAVING TIME, WATER & MONEY!



NON-TOXIC




ECO-FRIENDLY



HOOF RESISTANT

AffiePlaas Fotografie

Landbou Fotograaf/ Videograaf



Veiling
bemarkingsmateriaal



Katalogus fotos en
lot videos



Veiling
bemarkingsvideo



Drone beskikbaar

Opsommingsvideo van
veilingsdag/boeredag



Sosiale media
bemarking

Zanmari Crous
066 226 8247

VEILINGS

#VENUES
@BLOEM SHOWGROUNDS

2025



- | | |
|-------------|---|
| 28 Feb | Buks & Koos de Wet Vleismerino veiling |
| 8 Maart | Nasionale Inheemse Veldbok veiling |
| 11-13 Maart | Nasionale SAVM kampioenskappe |
| 5 April | Vrystaat Meatmaster Klub veiling |
| 1 Mei | Limousin veiling - Bloemskou |
| 2 Mei | Boerbok- & Savanna-, Kalahari Red veiling - Bloemskou |
| 27 Junie | Old Grey Stoetveiling |
| 30 Julie | Nasionale Merino Landskaap veiling |
| 6 Aug | Nasionale SAVM veiling |
| 14 Aug | Nasionale Sussex veiling |
| 15 Aug | Nasionale Afrikaner veiling |
| 28 Aug | DEO Brangus veiling |
| 3 Sept | Willem van den Berg Meatmaster veiling |
| 6 Sept | Inheemse Veldbok veiling |
| 17 Sept | Germar Bonsmara veiling |
| 19 Sept | Nasionale Shorthorn veiling |
| 16 Okt | Nasionale Boerbok veiling |

Kontak ons vir jou volgende veiling:

☎ 051 448 9894/5 ✉ info@bloemshow.co.za 🌐 www.bloemshowgrounds.co.za

Babesioses in beeste – Die Twee Rooiwaters



Erge bloubosluislading

Inleiding:

Bosluisoorgedraagde siektes veroorsaak groot ekonomiese verliese vir beesprodusente in Suid-Afrika. Babesiose, meer algemeen bekend as Rooiwater by beeste, is 'n bosluisoordraagbare siekte wat veroorsaak word deur 'n protosoale parasiet genaamd *Babesia*. Daar is twee onderskeidende tipes rooiwatersiektes in Suid-Afrika, naamlik Afrika rooiwater en Asiatiese rooiwater. Afrika rooiwater word deur *Babesia bigemina* veroorsaak en Asiatiese rooiwater word deur *Babesia bovis* veroorsaak. Siekteverspreiding, vektoroordrag en in sommige gevalle kliniese tekens en uitkoms verskil tussen hierdie twee siektes.

Siekteverspreiding, vektore en oordrag:

Rooiwater is 'n bosluisoordraagbare siekte wat beteken dat bosluis die primêre vektore is wat die siekte oordra. Daarom sal die siekte voorkom waar ook al die bosluisvektore voorkom.

Afrika-rooiwater kan deur beide Afrika-bloubosluis (*Rhipicephalus (Boophilus) decoloratus* en Asiatiese-bloubosluis (*Rhipicephalus (Boophilus) microplus*) oorgedra word, asook eksperimenteel deur 'n tweegasheerbosluis, naamlik die Rooipootbosluis (*Rhipicephalus evertsi evertsi*). Asiatiese rooiwater word slegs deur die Asiatiese-bloubosluis (*R. (Boophilus) microplus*).


Bloubosluis is eengasheerbosluis wat hoofsaaklik op vee parasiteer.¹ Die Afrika-bloubosluis kan egter ook op wild parasiteer.¹

Dit is belangrik om die lewensiklus van die eengasheerbosluisspesie en die oordrag van Rooiwater te verstaan. Die lewensiklus van 'n eengasheerbosluis bestaan uit vervelling van larwe tot nimf en nimf tot volwassene alles op een gasheer.¹ Hierdie lewensiklus is baie kort en die hele lewensiklus kan binne 21 dae voltooi word.¹

Die oordrag van Afrika-rooiwater en Asiatiese rooiwater verskil deurdat Asiatiese rooiwater deur die larf-, en volwasse stadiums oorgedra kan word, terwyl Afrika-rooiwater slegs deur die nimf- en volwasse stadiums oorgedra kan word. Dit het implikasies wanneer 'n bosluisbeheerstrategie geïmplementeer moet word om 'n uitbreking van Asiatiese rooiwater te beheer.

Die Afrika-bloubosluis het 'n wyer verspreiding in Suid-Afrika wat deur die meeste van die klam streke en koue bergagtige streke soos die Drakensbergreeks strek.¹ Dit is afwesig in dele van Suid-Afrika met 'n gemiddelde jaarlikse reënval van minder as 380 mm, insluitend die Wes-Vrystaat, en die westelike streke van die Noord-Kaap Provinsie.¹ Die Asiatiese-bloubosluis het 'n beperkte verspreiding met verspreide gebiede langs die suidelike en oostelike kus van die Wes- en Oos-Kaap provinsies en van KwaZulu-Natal sowel as verspreide gebiede van Mpumalanga en Limpopo provinsies.¹

Die Asiatiese-bloubosluis brei egter uit in sy verspreidingsgebied as gevolg van die indringing



van hierdie bosluise na ander gebiede en kan in sommige gevalle die Afrika-bloubosluis vervang.¹ Dit kan op verskeie maniere gebeur, wat die vervoer van diere of plantmateriaal soos grasbale insluit wat besmet is met Asiatiese-bloubosluis van een streek na 'n ander waar hierdie bosluise nie normaalweg voorkom nie. Veeprodusente moet dus streng biosekuriteitsprotokolle implementeer om die bekendstelling en uitbreiding van die verspreidingsgebied van die Asiatiese-bloubosluis te probeer voorkom. Hierdie protokolle sluit in om te verseker dat beeste behandel word met 'n doeltreffende bosluisbeheermiddel (dip) voordat hulle vervoer word en die keuse van bronne van grasbale uit gebiede wat 'n laer risiko inhou om Asiatiese-bloubosluis te bevat. Uitdagings vir beesprodusente vir hierdie implementering van biosekuriteitsprotokolle sluit in weerstand teen bosluisbeheermiddels en beperkte bronne van grasbale, veral tydens katastrofiese droogtetye.

Kliniese tekens van siekte:

Die inkubasietydperk vir rooiwater is baie kort, tussen 8 – 15 dae,² wat beteken dat 'n bees kliniese tekens kan begin toon kort nadat 'n bosluis die dier gebyt het en met die *Babesia*-parasiet besmet geraak het. Die tipiese kliniese tekens van Rooiwater sluit 'n dier in wat lusteloos is, nie eet nie (anoreksie), koors en bleek slymvliese het (aanduiding van bloedarmoede). Met Afrika-rooiwater kan effense geel slymvliese (ikteries) opgemerk word in meer sub-akute tot chroniese gevalle. Asiatiese-rooiwater kan manifesteer as skielike sterftes waar geen kliniese tekens opgemerk word nie. In sommige gevalle van Asiatiese rooiwater kan neurologiese tekens ook in beeste gesien word. Daaglikse waarneming en die gebruik van 'n termometer om die diere se temperatuur te meet is noodsaaklik om enige dier wat tekens van Rooiwater toon vroegtydig te identifiseer sodat behandeling stiptelik toegedien kan word.

Die hantering van 'n Rooiwater-uitbraak:

Rooiwater uitbrake kom gewoonlik skielik voor, met die hoogste risikoperiodes wanneer bloubosluisgetalle uiters hoog is. Hoë bloubosluisgetalle kom gewoonlik gedurende die laat somer tot herfs seisoene voor. Eerstens is dit belangrik om te onderskei tussen Afrika-rooiwater en Asiatiese-rooiwater. 'n Veearts kan 'n diagnose maak gebaseer op die ligging, die geskiedenis, kliniese tekens, 'n bloedsmeerondersoek om die spesifieke *Babesia*-parasiet te identifiseer en op nadoodse bevindings. Die volgende stap om uit te voer is om al die beeste met 'n doeltreffende bosluisbeheermiddel te behandel. Beeste moet een keer per week gedip word in die geval van Asiatiese rooiwater en een keer elke tweede week in die geval van Afrika rooiwater, om verdere oordrag van die siekte deur die bosluise te voorkom. Verskeie behandelingsprotokolle kan gevolg word gebaseer op die advies van die Veearts wat blokbehandeling van kuddes met óf diminasiën óf imidokarb insluit.

Uitbrake van Rooiwater kan voorkom as gevolg van verskeie redes. Voorbeelde sluit in:

1. die inbring van vatbare beeste, dit wil sê beeste wat nie immuniteit teen rooiwater het nie, op 'n plaas waar rooiwater endemies is.
2. waar bosluisvektore per ongeluk ingebring is op 'n plaas waar rooiwater nie endemies is nie en daaropvolgende uitdaging van vatbare beeste met die bosluisvektor en rooiwater.
3. waar diere in 'n rooiwater endemiese gebied nog nooit beskermende immuniteit ontwikkel het nie en skielik deur hoë bosluislading en rooiwater uitgedaag word.
4. waar diere onder stres verkeer en hulle immuunsisteem onderdruk is.

Bestuur van endemiese stabiliteit en immuniteit:

Strategieë om rooiwater te bestuur is plaasspesifiek en sal afhang van die voorkoms van die tipe rooiwater. Endemiese stabiliteit verwys na 'n situasie waar die bosluislading voldoende is om te verseker dat beeste aan die *Babesia*-parasiet blootgestel word om die ontwikkeling van immuniteit te verseker, sonder om enige negatiewe effekte te veroorsaak wat met hoë bosluislaste geassosieer word. Kalwers het ingebore immuniteit tussen 3 – 8 maande

oud en moet ideaal gesproke aan 'n voldoende bosluislading blootgestel in hierdie tydperk word om uitdaging en daaropvolgende immuniteit te verseker. Bloedentstowwe is beskikbaar vir die immunisering van beeste met óf Afrika- en Asiatiese rooiwater. Kalwers kan binne hierdie tydperk geïmmuniseer word om beskermende, relatief langdurige immuniteit teen die spesifieke tipe rooiwater te stimuleer. Ideaal gesproke moet beeste dan aan genoeg bosluisvektore blootgestel word om voortdurend die immunstisteam te stimuleer en langdurige immuniteit te verseker. Die bestuur van Asiatiese-rooiwater is veral uitdagend weens die beperkte verspreiding van die bosluisvektore en siektevoorkoms. Beeste word nie voldoende blootgestel nie en endemiese stabiliteit word nie maklik gevestig nie.

Die inbring van vatbare beeste in 'n rooiwater endemiese streek vereis die bystand van 'n Veearts. Daar is verskeie strategieë wat gebruik kan word, insluitend immunisering met behulp van bloed-entstowwe en daaropvolgende behandeling wanneer diere 'n koorsreaksie ontwikkel om immuniteit te vestig, behandeling met diminasien of imidokarb, en waarneming en bosluisbeheerstrategieë.

Die belangrikheid van die Kuddegesondheidsveearts om te help met die hantering van siekte-uitbrekings en die bestuur van rooiwater is noodsaaklik en dit word aanbeveel om met hul te konsulteer en kundigheid gebruik te maak.

Belangrike punte - Asiatiese rooiwater:

- Asiatiese rooiwater is 'n dodelike siekte en beeste kan skielik vrek sonder om kliniese tekens te toon.

- Daaglikse waarneming is belangrik om tekens van siekte vroeg raak te sien sodat behandeling so gou as moontlik toegedien kan word.
- Die verspreiding van die Asiatiese-bloubosluis, die vektor vir Asiatiese rooiwater, is beperk tot spesifieke streke, maar dit brei uit en word in nuwe gebiede ingebring, wat beeste affekteer wat geen immuniteit teen Asiatiese rooiwater het nie.
- Die lewensiklus van die Asiatiese bloubosluis is kort en die bosluispopulasie kan vinnig vermeerder.
- Asiatiese rooiwater word deur die larf-, nimfe- en volwasse stadiums van die Asiatiese-bloubosluis oorgedra. Afhangende van die bosluisbeheerstrategie (aktiewe bestanddeel, produkformulering en dipinterval), kan die oordrag van Asiatiese rooiwater in 'n relatief kort tydperk plaasvind nadat bosluisbeheer toegepas is.
- Raadpleeg jou Kuddegesondheidsveearts oor die hantering van 'n rooiwater uitbraak en toekomstige bestuurstrategieë.

Verwysings:

1. JONGEJAN, F. & UILENBERG. 2018. Vectors: Ticks. *In: Infectious diseases of livestock*, edited by J.A.W. Coetzer, G.R. Thompson, N.J. Maclachlan & M-L Penrith. www.anipedia.org
2. DE VOS, A.J., DE WAAL, D.T. & JACKSON, L.A. 2004. Bovine Babesiosis *In: Infectious diseases of livestock*, edited by Coetzer, JAW & Tustin, RC. Cape Town: Oxford University Press Southern Africa.

Dr JG Nel

Konsulterende Veearts – Kyron Agri

BREË SPEKTRUM BOSLUIS & RONDEWURM BEHEER
’n Gereed-vir-gebruik opgiemiddel met ’n nawerkende aksie bosluis en rondewurm beheer.

IVERMAX[®] ①†

POUR-ON



VIR DIE BEHANDELING VAN INWENDIGE EN UITWENDIGE PARASIEDE

Maagdermkanal Rondewurms, Longwurms, Oogwurms, Velpapies, Suigende Luise en Bytende Luise, Myte en Blou Bosluise in beeste.



Samestelling: Ivermektien 0,5 % m/v

† Makrosikliese laktoon



GEEN MELKONTREKING¹



WATER BACK UP SYSTEM

Eco Tanks

From 990L - 5000L Tank's

Pressure Pumps

DAB EasyBox 1.1 kw

DAB EasyBox Mini .75kw

Tesk PMC 2.2kw

Tesk PMC .75kw

3 Stage Filter

950L From R18 000

1100L From R25 000

2220L From R33 665

5000L From R38 000



HYDRO PLUMBINGS
SOLAR AND PLUMBING

Hydro Plumbings

0731772652

WhatsApp 0817019404

hydro_plumbings@outlook.com

THE SMART BACKUP WATER SOLUTION



“Save the Dates”

NATIONALE VEILINGS

7 FEB **BORAN VERSE EXTRAVAGANZA**
Afridome, Parys

8 MRT **DORPER**
Warmbad Veemark, Bela-Bela

8 MRT **INHEEMSE VELDBOKKE**
Bloemskougronde, Bloemfontein

19 MRT **BONSMARA**
Afridome, Parys

1 MEI **TULI**
Lettie Fouché Skool, Bloemfontein

14 JUN **BRAFORD**
Afridome, Parys

19 JUN **DRAKENSBERGER**
Afridome, Parys

3 JUL **BEEFMASTER**
Afridome, Parys

12 JUL **BORAN**
Afridome, Parys

17 JUL **BRAUNVIEH**
Afridome, Parys

6 AUG **BRANGUS**
Afridome, Parys

12 AUG **SA VLEISMERINO**
Frankfort Auction Centre, Frankfort

14 AUG **SUSSEX**
Bloemskougronde, Bloemfontein

14 AUG **MEATMASTER**
Bloemskougronde, Bloemfontein

15 AUG **AFRIKANER**
Bloemskougronde, Bloemfontein

29 AUG **SAVM JONGRAM- EN OOI**
Fire & Wine, Zwavelpoort, Pretoria

19 SEP **BEEF SHORTHORN**
Bloemskougronde, Bloemfontein

26 SEP **NGUNI**
Aldam Vakansieoord, Winburg-area

16 OKT **BOERBOK**
Bloemskougronde, Bloemfontein

18 OKT **MINIATUURPERD**
Fire & Wine, Zwavelpoort, Pretoria



FEEDING Hay

Hay is the traditional diet for sheep/goats during the winter months and/or in confinement. It is also commonly fed to grazing animals, especially during drought or other periods of inclement weather. Hay can be a substantial part of the feed budget, especially if it has a high opportunity cost or must be purchased. Storage losses and feed wastage also factor into the cost of feeding hay.



Hay can vary significantly in quality and should be tested. If you don't know the nutritive content of your hay, you won't know what (or how much) you need to supplement in the diet of your animals



Some ways to reduce hay cost

- Harvest hay properly
- Store hay properly
- Feed good quality hay
- Chop low quality hay or incorporate it into a TMR
- Always feed hay in feeders
- Limit feed hay; make animals clean up what you feed.



Hay bales vary considerably in weight. You need to feed and purchase hay by weight. If hay is sold by the bale, be sure to weigh some representative bales so, you know how much you are paying (and feeding). Hay prices are usually reported on a per ton basis.

For some farms, it may be more economical to feed diets that contain less hay, though some long stem forage is always recommended in ruminant diets.



SPECIAL



NO-WORRIES NO-TILL STARTER PACK

GET THE LATEST TECHNOLOGY AND BEST RESULTS WITHOUT THE EXPENSIVE PRICE TAGS

VALTRA 99KW A134HITECH TRACTOR, JUMIL 3070 6 ROW NO-TILL PLANTER AND KUHN PORTER 800L + 400L 5 SECTIONS ELECTRIC 18M BRAVO LIFT MOUNT SPRAYER

R2 790 000 EXCL. VAT

VALTRAC

TRACTORS • IMPLEMENTS • SERVICE • PARTS

ATTN: 083 261 9863

☎ 0861 VALTRA

🌐 www.valtrac.co.za

📘 Valtrac South Africa

📱 Valtrac

Terms and conditions apply. Only valid on new sales of current stock at full retail price. Limited stock available.

INTERESTING FACT

Goatmeat Basic Cuts

1 LEG



Leg - Chump On*

Leg - Chump On, Boneless

3 BACKSTRAP



Backstrap

5 BREAST AND FLAP



Breast and Flap


6 FOREQUARTER



Square-Cut Shoulder



Forequarter*



* a 6-way cut carcass is comprised of these cuts: 2 legs, 2 loins and 2 fore quarters

2 TENDERLOIN



Tenderloin

4 LOIN



Loin*

Rack

Shortloin

7 NECK



Neck



Burnt Cubes



Whole Burnt Carcass



Cubed Goat, Boneless



Ground Goat



Diced Goat, Bone In

- Pasture Raised
- No Added Hormones
- No Additional Additives
- Long Shelf Life
- Sustainable Farming Practices
- Traceable



Australia is a world leader in the processing and preparation of halal meat and meat products.

The involvement and expertise of the Islamic organizations registered to supervise and certify the production processes ensure each company has documented procedures and processing requirements implemented at all production stages.

Processors must have a registered Halal program which complies with Australian Government Authorized Halal

Program (AGALP)—a collaborative program between Islamic Societies and the Australian government) requirements.

Facilities inspected and accepted for Halal slaughter and/or production. The inspections are carried out by recognized Islamic organizations and the Australian Quarantine and Inspection Services (AQIS).

Processors must only employ Muslim slaughtermen.

Halal and non-Halal beef, lamb and goat must be separate and identified at all times.

Halal meat is identified by an official halal stamp to carcasses or products in a carton.

For all exports, only recognized Islamic organizations can certify halal meat and meat products.

Halal meat must be described on the Meat Transfer Certificate used by export companies when transported between export establishments.

Halal meat for final export receives an official halal meat certificate signed by both AQIS and a recognized Islamic Council representative.



LAMHOKKE

LAMHOKKE
MET DAKKE


SKAAPBAALRINGE

KRUIPHEKKE

VOERBAKKE

SKEERHOKVLOERE

LAAIBANKE



Vervaardigers van
Veehanteringstoerusting
uit UV gestabiliseerde
plastiek

'n Besigheid vir die Boer

058 913 1042 072 639 0451 hexagon.vrede@gmail.com Hexagon Industries

KLEINVEE
DRUKGANG

WEEGKRAT



SORTEERKRAT



BEESSAALRINGE



KALFHOKKE

GROENTE
TONNELSSKAAPTONNEL/
AFDAKTONNEL

Graphic Design services

FROM PRINT DESIGN TO LOGO DESIGN AND EVERYTHING INBETWEEN.



- Brochures
- Reports
- Magazines
- Adverts (print and social media)
- Word and PPT formatting and template design
- Invitations
- Logos
- Corporate branding
- Signage
- Posters
- Letterheads • Business cards • Flyers
- Transcribing (audio to text)

For more information please contact:

082 784 1838

cpietersen001@gmail.com

MAXITET-LA

Reg.No./Nr. G3580 Act/Wet 361947 NSO V0517.1.2/294 Act/Wet 13/2003



FOR ANIMAL USE ONLY /
SLEGS VIR DIEREGEBRUIK

LANGWERKENDE INSPUITBARE
OKSITETRASIEN
(ANTIBIOTIESE) OPLOSSING

Vir die behandeling van
bosluisoorgedraagde galsiekte
(Anaplasmosis), hartwater, vrotpootjie,
longontsteking, naelstringsiekte, en
septiese gewrigsontsteking by beeste,
skape, bokke en varke.



KYRON
AGRT

Registration Holder / Registrasiehouer: Kyrón Animal Health (Pty) Ltd., Reg. No. 2004/021847/07, Unit 45C, 45 Parkview Street, Highway Business Park, Roodhooikraal Ext. 31, Centurion, 0157, South Africa. Tel: 0861 247 463

BOERhier
'n Boer is gekies deur God

FARMhere
Farmers are handpicked by God

ADVERTEER BY ONS!

Hoekom by ons adverteer ?

SLUIT AAN by TOP digitale landbounetwerke met
meer as 127,000 maandelikse lesers!

Boere boer met slimtoestelle in die hand.

Hulle neem aktief deel op al ons digitale platforms.

Drie e-tydskrifte en video's word direk aan boere se selfone gestuur.



SLUIT AAN by TOP digitale landbounetwerke met
meer as 127,000 maandelikse lesers

**Uitgebreide reikwydte tot die regte mark met meer as 82,000+ sosiale media
volgeling:**

BH (BOERhier) Volgeling: 37,064k

FH (FARMhere) Volgeling: 8,968k

BHV (BOERhier Veilings) Volgeling: 10,484k

BHG (BOERhier Groep) Volgeling: 20,410k

FH Instagram: 2,207k

BH Instagram: 2,913k

15,000+ WhatsApp databasis

34,000+ E-pos databasis

**Bereik jou boerdery
se volle potensiaal !**



ADVERTEER BY ONS



073 895 6392 / 071 704 6282



E-pos: info@boerhier.co.za



Webtuiste: www.boerhier.co.za

Bloem Skou Show CARNIVAL

25 April - 3 May 2025



Join the show
FLOAT!

bloemshow.co.za   

#VENUES
@BLOEM SHOWGROUNDS



bloemshowgrounds.co.za | 051 448 9894 / 5 / 6



AfriForum

Veldbrande saai verwoesting.

Boere verloor elke jaar duisende
hektaar weiding.

Jou donasie kan help om voer te voorsien en
die boere by te staan wat skade gely het.

Bankbesonderhede:

Bank: Eerste Nasionale Bank

Rekeninghouer : AfriForum MSW

Takkode: 261550

Rekeningnommer: 623 498 98 398

Verwysing: Brande



www.afriforum.co.za

AUCTION RESULTS

LOT R10



LOT E99 (23-539) SOLD FOR R17 000



FROM LEFT TO RIGHT: Mark Cockin (Future Auctioneers), Danie Strauss (Central Saleyard - Auctioneer), Nico Eyre (Buyer - Despatch), Piet Marais (Seller - Nuwejaarsfontein Boerbok stoet).

OKBK *Veldram en Ooi veiling*

Auction Results

On Thursday, 30 January 2025, the OKBK Veldram & Ewe Auction took place in Somerset East. The highest priced Ram was Lot R10 (239185) which fetched **R 20 000.00** and was sold to Charl Kleinhans from Kleinpoort.

A total of 26 rams and 82 ewes were sold. Future Auctioneers thanks all buyers for an excellent auction. Central Saleyard Online did the online bidding platform and the auctioneer was Danie Strauss.

AVERAGES PRICES ACHIEVED:

| | |
|---------------------------|-----------------|
| 2 Stud Rams (100% sold) | R 12 000 |
| 24 Flock Rams (100% sold) | R 10 020 |
| 11 Stud Ewes (99% sold) | R 8 363 |
| 74 Flock Ewes (98% sold) | R 4 456 |



NAVRAE / ENQUIRIES:
 • Pieter Fouche 072 828 9265 • Richard Biggs 082 896 9226 • Ilse Fouche 082 743 8342

AFSLAER / AUCTIONEER:
 Danie Strauss 072 585 4028

POSBUS 119 / PO Box 119, Cathcart 5310 | admin@futureauctioneers.co.za



AFRI AIR

AGRICULTURE DRONE SOLUTIONS



072 434 5776 (Christiaan Winckler)



082 774 0343 (Marlett Winckler)

info@aadrones.co.za



www.aadrones.co.za



AGRICULTURE

AUCTION RESULTS



1 Februarie 2025

BOSVELDER STUDIEGROEP ELITE-VEILING

11h00 Warmbad Veemark, Bela-Bela

Duurste Ram

Duurste ram van Inni-Bos Bosvelders (Lot 38) is verkoop vir R 46 000
aan Limcroma Bosvelders



Duurste Ooi met lam

Duurste ooi met lam van Hoffman Bosvelders (Lot 130) is verkoop
vir R 10 500 aan Iricel Beleggings (Edms) Bpk



AFSLAER Pieter-John Venter - 082 924 5156

BEMARKER Carel Chalmers - 082 896 9586

VLEISSENTRAAL BOSVELD 015 491 3141

www.vleissentraal.co.za



BELA - BELA

AUCTION RESULTS



1 Februarie 2025
BOSVELDER STUDIEGROEP ELITE - VEILING
 11h00 Warmbad Veemark, Bela-Bela
ELITE

| ITEM | VERKOOP | HOOGSTE | GEMIDDELD | KOPER/VERKOPER: |
|------------------------|---------|-----------|-----------|--|
| BOSVELDER DRAGTIGE OOI | 18 | 9 000.00 | 6 833.00 | KOPER: INNI-BOS BOSVELDERS (MARBLE HALL) VERKOPER: HOFFMAN BOSVELDERS (MIDDELBURG) |
| BOSVELDER OOI | 4 | 5 500.00 | 4 812.00 | KOPER: SWANEPOEL (EDMS) BPK (POLOKWANE) VERKOPER: VLAKTE BOSVELDERS (SETTLERS) |
| BOSVELDER OOI MET LAM | 10 | 10 500.00 | 7 925.00 | KOPER: IRICEL BELFGINGS (EDMS) BPK (POLOKWANE) VERKOPER: HOFFMAN BOSVELDERS (MIDDELBURG) |
| BOSVELDER RAM | 3 | 46 000.00 | 34 667.00 | KOPER: LIMCROMA SAFARIS (EDMS) BPK (THABAZIMBI) VERKOPER: INNI-BOS BOSVELDERS (MARBLE HALL) |

KUDDE

| ITEM | VERKOOP | HOOGSTE | GEMIDDELD | KOPER/VERKOPER: |
|------------------------|---------|-----------|-----------|---|
| BOSVELDER DRAGTIGE OOI | 55 | 8 000.00 | 4 654.00 | KOPER: GRONDINGH JF T/A RIETFOONTEIN BOERDERY (KOSTER) VERKOPER: HILAND BOSVELDERS (POLOKWANE) |
| BOSVELDER OOI | 29 | 4 500.00 | 3 603.00 | KOPER: CX LIVESTOCK (PTY) LTD (PLETTENBERG BAY) E KRUGEL (MOKOPANE) VERKOPER: INNI-BOS BOSVELDERS (MARBLE HALL) MARKEN BOSVELDERS (MARKEN) |
| BOSVELDER OOI MET LAM | 8 | 8 500.00 | 5 844.00 | KOPER: CP LETSOALO (SILVERLAKES) VERKOPER: THIENPONT BOSVELDERS (MODIMOLLE) |
| BOSVELDER RAM | 11 | 32 000.00 | 16 227.00 | KOPER: LIMCROMA SAFARIS (EDMS) BPK (THABAZIMBI) VERKOPER: HOFFMAN BOSVELDERS (MIDDELBURG) |

TOTALE VEILING OMSET: R 911 250



AFSLAER Pieter-John Venter - 082 924 5156
BEMARKER Carel Chalmers - 082 896 9586
VLEISSENTRAAAL BOSVELD 015 491 3141

www.vleissentraal.co.za



BELA-BELA

WAT SÊ DIE MARKTE



Bees

A2/3 = R 56.88

B2/3 = R 52.16

C2/3 = R 49.03

SPEENKALF = R 35.24




Skaap

A2/3 = R 95.14

B2/3 = R 72.14

C2/3 = R 67.43

STOORLAM = R 40.48



Bokke

Ooie = R 41.88

Kids <30kg = R 53.61

Kids 30-40kg = R 47.43

Kids > 40kg = R 42.55



Pluimvee

Bevroe = R 31.32

Vars = R 36.57

IQF = R 33.50



Vark

Porkers = R 32.81

Baconers = R 32.47



Safex

Mielies = R 5950 /t

Sojabone = R 9500 /t

Sonneblom = R 9697 /t

Koring = R 5970 /t



Geld Eenhede

R / \$ = R 18.55

R / £ = R 23.19

R / € = R 19.29

Soos 6 Februarie 2025

www.amtrends.co.za

BOERhier VEILINGS



Handelinge 7:9-10

‘maar God was met hom en het hom uit al sy verdrukkinge verlos.’

- Selfs in tye van benoudheid is God met jou om jou te red en te verlos.
- God se teenwoordigheid kan die konstantheid in jou lewe wees.
- Probleme kan ‘n geleentheid wees vir Sy doel om te ontvou.
- Hy is met jou en Hy kan jou ophig en jou voete op vaste grond neersit.

Gebed: Vader, dankie dat ongeag wat ek deurgaans U altyd met my is. U is my Verlosser, my Redder, my Trooster en my liefdevolle Hemelse Vader. Amen.

Lizelle

Dankie dat jy lekker saamgelees het! Stuur hierdie e-tydskrif aan na jou kontakte toe sodat hulle ook deel kan wees van ons familie!

www.boerhier.co.za

Foto: AffiePlaas Fotografie